

**REQUEST FORM****MEASUREMENT OF THYROTROPIN-RECEPTOR (TSHR)  
STIMULATING AND BLOCKING ANTIBODIES WITH BIOASSAYS****Differentiation of functional TSHR antibodies (Ab):**

- Stimulating TSHR Ab / Blocking TSHR Ab

**Sample requirement:** 2 ml serum per sample (**blood drawing should be done in fasting condition (no meals and no medication intake)**)

**Sample preparation:** Centrifugation of the blood sample 1-2 hours after blood withdrawal and subsequent serum transfer into a new plastic tube. The serum samples should be shipped on dry ice. Thawing samples before delivery to the laboratory is not recommended. For logistical reasons, all samples are destroyed after the measurement. Therefore, a return of the material is not feasible.

**Sample shipment address:**

Johannes Gutenberg University (JGU) Medical Center  
Molecular Thyroidlaboratory  
Building 302T, level one  
Langenbeckstr. 1  
55131 Mainz  
Phone (Fax): +49- 6131 – 17- 2290 (3460)

**Costs:** Invoicing is carried out in accordance with the current rates of the DKG-NT (German Hospital Federation) tariff, Column 7.

Patient details:	If available following clinical details:
Surname / name:	Diagnosis:
Date of birth:	TSH:
Sex: <input type="checkbox"/> female <input type="checkbox"/> male	Free T3:
Date of blood withdrawal:	Free T4:
Patient address:	Current treatment:
Pregnancy: <input type="checkbox"/> yes <input type="checkbox"/> no	Other details:
Measurement requested by:	
Hospital / Institution:	
Name of consultant:	
Address to which results should be sent:	
Address to which invoice should be sent:	