

2020

Goettler D, Streng A, Kemmling D, Schoen C, von Kries R, Rose MA, van der Linden M, Liese JG. **Increase in Streptococcus pneumoniae serotype 3 associated parapneumonic pleural effusion/empyema after the introduction of PCV13 in Germany.** Vaccine 2020;38(3):570-577.

doi.org/10.1016/j.vaccine.2019.10.056

Lechner C, Breu M, Wendel EM, Kornek B, Schanda K, Baumann M, Reindl M, Rostásy K. **Epidemiology of Pediatric NMOSD in Germany and Austria.** Front Neurol 2020;11:415. DOI: 10.3389/fneur.2020.00415

Shai S, Perez-Becker R, Andres O, Bakhtiar S, Baumann U, von Bernuth H, Classen CF, Dückers G, El-Helou SM, Gangfuß A, Ghosh S, Grimbacher B, Hauck F, Hoenig M, Husain RA, Kindle G, Kipfmüller F, Klemann C, Krüger R, Lainka E, Lehmberg K, Lohmann F, Morbach H, Naumann-Bartsch N, Oommen PT, Schultz A, Seidemann K, Speckmann C, Sykora KW, von Kries R, Niehues T. **Incidence of SCID in Germany from 2014 to 2015 an ESPED Survey on behalf of the API.** J Clin Immunol 2020; doi.org/10.1007/s10875-020-00782-x

2019

Ebrahimi-Fakhari D, Hussong J, Flotats-Bastardas M, Ebrahimi-Fakhari Darius, Zemlin M, von Gontard A, Meyer S. **Tuberous sclerosis complex associated neuropsychiatric disorder and parenteral stress: Findings from a national, prospective TSC surveillance study.** Neuropediatrics (2019), Jul 2, DOI: 10.1055/s-0039-1693042. [Epub ahead of print]

Gertsl L, Weinberger R, Heinen F, Bonfert MV, Borggraefe I, Schroeders AS, Tacke M, Landgraf MN, Kurnik K, Sorg AL, Olivieri M. **Arterial ischemic stroke in infants, children and adolescents: results of a Germany-wide surveillance study 2015-2017.** J neurol 2019;266:23929-2941.

Liese JG, Schoen C, van der Linden M, Lehmann L, Goettler D, Keller S, Maier A, Segerer F, Rose MA, Streng A. **Changes in the incidence and bacterial aetiology of paediatric parapneumonic pleural effusions/empyema in Germany, 2010-2017: a nationwide surveillance study.** Clin Microbiol Infect 2019;25(7):857-864. doi.org/10.1016/j.cmi.2018.10.020

Sorg AL, von Kries R, Klemme M, Gerstl L, Weinberger R, Beyerlein A, Lack N, Felderhoff-Müser U, Dzierko M. **Risk factors for perinatal arterial ischaemic stroke: a large case-control study.** Developmental Medicine & Child Neurology 2019; DOI.org/10.1111/dmcn.14347

2018

Bächle C, Hoyer A, Castillo-Reinado K, Stahl-Pehe A, Kuß O, Holl RW, Kersting M, Rosenbauer J. **Unterschiede in der Mahlzeitenhäufigkeit und Kohlenhydrataufnahme von Heranwachsenden mit Typ-1-Diabetes und stoffwechselgesunden Gleichaltrigen und Zusammenhang zur Stoffwechselkontrolle.** Diabetologie (2018); 13: doi: 10.1055/s-0044-102043

Ebrahimi-Fakhari Daniel, Mann L, Poryo M, Graf N, von Kries R, Heinrich B, Ebrahimi-Fakhari Darius, Flotats-Bastardas M, Gortner L, Zemlin M, Meyer S. **Incidence of tuberous sclerosis and age at first diagnosis: new data and emerging trends from a national, prospective surveillance study.** Orphanet Journal of rare Diseases 2018;13:117

Franke I, Aydin M, Llamas Lopez CE, Kurylowicz L, Ganschow R, Lentze M, Born M. **The incidence of the nephrotic syndrome in childhood in Germany.** Clin Exp Nephrol 2018;22:126-132

Jakob A, Whelan J, Kordecki M, Berner R, Stiller B, Arnold R, von Kries R, Neumann E, Roubinis N, Robert M, Grohmann J, Höhn R, Hufnagel M. **Kawasaki disease in Germany - a prospective population-based study adjusted for underreporting.** Pediatr Infect Dis J 2016; 35:129-134.

Lindner LME, Gontscharuk V, Baechle C, Castillo K, Stahl-Pehe A, Toennies T, Yossa R, Holl RW, Rosenbauer J. **Severe hypoglycemia and diabetic ketoacidosis in young persons with preschool onset of Typ 1 diabetes mellitus: An analysis of three nation-wide population-based surveys.** Pediatric Diabetes (2018); doi: 10.1111/pedi.12628. [Epub ahead of print]

Reinauer C, Reinehr T, Bächle C, Karges B, Seyfahrt J, Förtsch K, Schebek M, Wölfle J, Roden M, Holl RW, Rosenbauer J, Meißner T. **Relationship of serum Fetuin A with metabolic and clinical parameters in German children and adolescents with Typ 1 diabetes.** Horm Res Paediatr (2018); 89: 73-81.

Rosenbauer J, Stahl-Pehe A, Bächle C, Tönnies T, Castillo-Reinado K, Giani G. **Childhood Vaccinations and the Risk of Childhood Type 1 Diabetes: Results of a Population-based Case-Control Study.** Arch Epidemiol (2018); AEPD-114, doi: 10.29011/2577-2252.100014

Schenck S, Rosenbauer J, Niewerth M, Klotsche J, Minden K, Schwarz T, Foeldvari I, Horneff G, Weller-Heinemann F, Holl RW, Thon A. **Comorbidity of Type 1 Diabetes mellitus in Patients with Juvenile Idiopathic Arthritis.** J Pediatr (2018); 192:196-203.

Schielke A, Takla A, von Kries R, Wichmann O, Hellenbrand W. **Marked underreporting of pertussis requiring hospitalization in infants as estimated by Capture-Recapture Methology, Germany, 2013-2015.** Pediatr Infect Dis J 2018;37:119-125

Seyfährth J, Ahlert H, Rosenbauer J, Bächle C, Roden M, Mayatepek E, Meissner T, Jacobsen M. **CISH promotor polymorphism effects on T-cell cytokine receptor signalling and Type 1 Diabetes susceptibility.** Mol Cell Pediatr (2018); 5:2.

Seyfährth J, Lundtoft C, Förtsch K, Ahlert H, Rosenbauer J, Baechle C, Roden M, Holl RW, Mayatepek E, Kummer S, Meissner T Jacobsen M. **Interleukin-7 receptor alpha-chain haplotypes differentially affect soluble IL-7 receptor and IL-7 serum concentrations in children with Type 1 diabetes.** Pediatric Diabetes (2018); doi: 10.1111/pedi.12665. [Epub ahead of print]

Toennies T, Stahl-Pehe A, Baechle C, Castillo K, Kuss O, Yossa R, Lindner J, Holl RW, Rosenbauer J. **Risk of Microvascular complications and macrovascular risk factors and associated factors in early-onset type 1 diabetes after at least 10 years duration: An analysis of three population-based cross-sectional surveys in Germany between 2009 and 2016.** Int J of Endocrinology (2018); doi.org/10.1155/2018/7806980

Weinberger R, von Kries R, van der Linden M, Rieck T, Siedler A, Falkenhorst G. **Invasive pneumococcal disease in children under 16 years of age: Incomplete rebound in incidence after the maximum effect of PCV13 in 2012/13 in Germany.** Vaccine 2018;36:572-577

Yarkin Y, Maas C, Franz AR, Kirschner HJ, Poets CF. **Epidemiological study on intestinal volvulus without malrotation in VLBW infants.** Arch Dis Child Fetal Neonatal Ed 2018;0:F1-F4 (DOI:10.1136/archdischild-2018-315282)

2017

Klemme M, Gerstl L, Weinberger R, Olivieri M, Flemmer A, von Kries R, Felderhoff-Müser U, Dziatko M. **Neonatal arterial ischemic stroke - a hospital based active surveillance study in Germany.** Klin Padiatr 2017;229:142-146

Nettesheim S, Kölker S, Karall D, Häberle J, Posset R, Hoffmann GF, Heinrich B, Gleich F, Garbade SF, on behalf of Arbeitsgemeinschaft für Pädiatrische Stoffwechselstörungen (APS), European registry and network for Intoxication type Metabolic Diseases (E-IMD), ESPED; Austrian Metabolic Group; Swiss Paediatric Surveillance Unit (SPSU). **Incidence, disease onset and short-term outcome in urea cycle disorders - cross-border surveillance in Germany, Austria and Switzerland.** Orphanet Journal of Rare Diseases 2017;12:111 (DOI: 10.1186/s13023-017-0661-x)

Reuss AM, Drzymala S, hauer B, von Kries R, Haas WH. **Treatment outcome in children with nontuberculous mycobacteriallymphadenitis: a retrospective follow-up study.** Int J Mycobacteriol 2017;6:76-82.

Schuster K, Goelz R, Speckmann C, Henneke P. **Symptomatic Cytomegalovirus Infections in the First Year of Life: When Is Antiviral Therapy Conceived to Be Justified?** *Pediatr Infect Dis J* 2017;36:224-227.

Segerer F, Seeger K, Maier A, Hagemann C, Schoen C, van der Linden M, Streng A, Rose MA, Liese JG. **Therapy of 645 children with parapneumonic effusion and empyema - a German nationwide surveillance study.** *Pediatric Pulmonology* 2017;52:540-547. DOI: 10.1002/ppul.23562

Stahl-Pehe A, Landwehr S, Lange K, Bächle C, Castillo K, Lüdtke J, Holl RW, Rosenbauer J. **Impact of quality of life (QoL) on glycaemic control (HbA1c) among adolescents and emerging adults with long-duration type 1 diabetes: A prospective cohort-study.** *Pediatric Diabetes* 2017;18 (Epub ahead of print, Jan 30.) doi: 10.1111/pedi.12487.

2016

Bächle C, Stahl-Pehe A, Rosenbauer J. **Disordered eating and insulin restriction in youth receiving intensified insulin treatment: Results from a nationwide population-based study.** *Int J Eat Disord* 2016; 49:191-196.

Bächle C, Stahl-Pehe A, Rosenbauer J. **How beneficial to health do children and adolescents with early-onset Type 1-Diabetes eat after 10 years of diabetes?** *Ernahrungs Umschau* 2016; 63(03):56-58 (DOI: 10.4455/eu.2016.008)

Meyer S, Mann L, Ebrahimi-Fakhari D, Heinrich B, Flotats-Bastardas M, Gortner L, Poryo M. **ESPED-Erhebung: TSC-Erkrankung bei Kindern und Jugendlichen: eine einjährige Interim-Analyse.** *Wien Med Wochenschr* 2016, [Epub ahead of print]DOI: 10.1007/s10354-016-0522-6

Oberle D, Pavel J, Rieck T, Weichert S, Schrotten H, Keller-Stanislawski B, Tenebaum T. **Anaphylaxis after immunization of Children and Adolescents in Germany.** *Pediatr Infect Dis J* 2016;35:535-541

Rosenbauer J, Tamayo T, Bächle C, Stahl-Pehe A, Landwehr S, Sugiri D, Krämer U, Maier W, Hermann JM, Holl RW, Rathmann W. **Re: Ambient air pollution is not associated with early manifestation of Type 1-Diabetes.** *Epidemiology* 2016;27 (4):e25-e26.

Tamayo T, Rathmann W, Stahl-Pehe A, Landwehr S, Sugiri D, Krämer U, Hermann J, Holl RW, Rosenbauer J. **No adverse effect of outdoor air pollution on HbA1c in children and young adults with Type 1-Diabetes.** *Int J Hyg Environ Health* 2016;219 (4-5):349-355. (<http://dx.doi.org/10.1016/j.ijheh.2016.02.002>)

Weinberger R, van der Linden M, Imöhl M, von Kries R. **Vaccine effectiveness of PCV13 in a 3+1 vaccination schedule.** *Vaccine* 2016 ;34:2062-2065.

2015

Bächle C, Lange K, Stahl-Pehe A, Castillo K, Holl RW, Giani G, Rosenbauer J. **Associations between HbA1c and depressive symptoms in young adults with early-onset Type 1-Diabetes.** Psychoneuroendocrinology 2015; 55:48-58.

Bächle C, Lange K, Stahl-Pehe A, Castillo K, Scheuing N, Holl RW, Giani G, Rosenbauer J in cooperation with the German Paediatric Surveillance Unit (ESPED) and the DPV Science Initiative, supported by the Competence Network Diabetes mellitus and the German Center of Diabetes Research (DZD). **Symptoms of eating disorders and depression in emerging adults with early-onset, long-duration Type 1-Diabetes and their association with metabolic control.** PLoS ONE 2015; 10(6):e0131027 (DOI: 10.1371/journal.pone.0131027)

Bendas A, Rothe U, Kiess W, Kapellen T, Stange T, Manuwald U, Salzsieder E, Holl RW, Schoffer O, Stahl-Pehe A, Giani G, Eehalt S, Neu A, Rosenbauer J. **Trends in incidence rates during 1999-2008 and prevalence in 2008 in childhood Type 1-Diabetes mellitus in Germany - Model-based national estimates.** PLoS ONE 2015; 10(7):e0132716 (DOI: 10.1371/journal.pone.0132716)

Bialkowski A, Poets CF, Franz AR, and the ESPED study Group. **Congenital chylothorax: a prospective nationwide epidemiological study in Germany.** Arch Dis Child Fetal Neonatal Ed 2015;100 (2):F169-F172. DOI: 10.1136/archdischild-2014-307274

Patry C, Hien S, Demirakca S, Reinhard J, Majorek M, Brade J, Schable T. **Adjunctive therapies for treatment of severe respiratory failure in newborns.** Klin Padiatr 2015; 227:28-32.

Patterson CC, Gyütös E, Rosenbauer J, Cinek O, Neu A, Schober E, Parslow R, Joner G, Svensson G, Castell C, Bingley P, Schoenle E, Jarosz-Chobot P, Urbonaitė B, Rothe U, Krzysnik C, Ionescu-Tirgoviste C, Weets I, Kocova M, Stipancic G, Samardzic M, de Beaufort C, Green A, Soltész G, Dahlquist G. **Seasonal variation in month of diagnosis in children with Type 1-Diabetes registered in 23 European centers during 1989-2008: little short-term influence of sunshine hours or average temperature.** Pediatr Diabetes 2015;16:573-580 (DOI: 10.1111/pedi.12227)

Weinberger R, Falkenhorst G, Bogdan C, van der Linden M, Imöhl M, von Kries R. **Incidence of invasive pneumococcal disease in 5-15 years old children with and without comorbidities in Germany after the introduction of PCV13: Implications for vaccinating children with comorbidities.** Vaccine 2015; 33:6617-6621.

Weiß S, Falkenhorst G, van der Linden M, Imöhl M, von Kries R. **Impact of 10 and 13-valent pneumococcal conjugate vaccines on incidence of invasive pneumococcal disease in children aged under 16 years in Germany, 2009 to 2012.** Euro Surveill 2015; 20(10).

2014

Bächle C, Castillo K, Straßburger K, Stahl-Pehe A, Meißner T, Holl RW, Giani G, Rosenbauer J in cooperation with the German Paediatric Surveillance Unit (ESPED) and the DPV Science Initiative. **Is disordered eating behavior more prevalent in adolescents with early-onset Type 1-Diabetes than in their representative peers?** Int J of Eat Disord 2014; 47:342-352.

Hünseler C, von Kries R, Roth B. **Decrease of the incidence of renin-angiotensin-system inhibitor induced oligohydramnios-sequence in Germany in 2011.** Klin Padiatr 2014 Apr; 226(2):59-61. (DOI: 10.1055/s0033-1363267. Epub 2014 Mar 14).

Kummer S, Stahl-Pehe A, Castillo K, Bächle C, Graf C, Straßburger K, Salgin B, Mayatepek E, Giani G, Meißner T, Rosenbauer J. **Health behavior in children and adolescents with Type 1-Diabetes compared to a representative reference population.** PLoS ONE 2014; 9:e112083.

Maas C, Poets CF. **Initial treatment and early weight gain of children with Robin sequence in Germany: a prospective epidemiological study.** Arch Dis Child Fetal Neonatal Ed 2014; 99(6):F491-494.

Reinhardt K, Weiß S, Rosenbauer J, Gärtner J, von Kries R. **Multiple sclerosis in children and adolescents: incidence and clinical picture - new insights from the nationwide German surveillance (2009-2011).** Eur J Neurol 2014; 21:654-659.

Stahl-Pehe A, Lange K, Bächle C, Castillo K, Holl RW, Rosenbauer J. **Mental Health problems among adolescents with early-onset and long-duration Type 1-Diabetes mellitus and their association with quality of life: a population-based survey.** PLoS ONE 2014; 9(3):e92473 (DOI: 10.1371/journal.pone.0092473)

Stahl-Pehe A, Straßburger K, Castillo K, Bächle C, Holl RW, Giani G, Lange K, Rosenbauer J. **Quality of life in intensively treated youth with early-onset type 1 diabetes: A population-based survey.** Pediatr Diabetes 2014; 15:436-443.

Vatlach S, Maas C, Poets CF. **Birth prevalence and initial treatment of Robin sequence in Germany: a prospective epidemiologic study.** Orphanet Journal of rare diseases 2014; 9:9.

2013

Bächle C, Icks A, Straßburger K, Flechtner-Mors M, Hungele A, Placzek K, Hermann H, Schumacher A, Freff M, Stahl-Pehe A, Holl RW, Rosenbauer J on behalf of the DPV Initiative and the German BMBF Competence Network Diabetes mellitus. **Direct Diabetes-related costs in young patients with early-onset, long-lasting Type 1-Diabetes.** PLoS ONE 2013; 8(8): e70567.

Bächle C, Stahl-Pehe A, Rosenbauer J. **Abnormal eating behavior and eating disorders in children and adolescents with type 1 diabetes: causes and frequency.** Ernährungs Umschau international 2013; 60(4):58-65. (DOI: 10.4455/eu.3013.013).

Griese M, Haug M, Hartl D, Teusch V, Glöckner-Pagel J, Brasch F and the National EAA Study Group. **Hypersensitivity pneumonitis: lessons for diagnosis and treatment of a rare entity in children.** Orphanet J Rare Dis 2013, 8:121.

Schönberger K, Ludwig MS, Wildner M, Weissbrich B. **Epidemiology of subacute sclerosing Panencephalitis (SSPE) in Germany from 2003 to 2009: A risk estimation.** PLoS ONE 2013;8(7):e68909. (DOI:10.1371/journal.pone.0068909)

Shai S, Perez-Becker R, von König CH Wirsing, von Kries R, Heininger U, Forster J, Huppertz HI, Roos R, Göbel U, Niehues T. **Rotavirus Disease in Germany - A Prospective Survey of Very Severe Cases.** Pediatr Infect Dis J 2013;32 (2):e62-67.

Tibussek D, Distelmaier F, von Kries R, Mayatepek E. **Pseudotumor cerebri in childhood and adolescence - results of a German-wide ESPED survey.** Klin Padiatr 2013;225(2):81-85 (DOI: 10.1055/s-0033-1333757. Epub 2013 Mar 22).

van der Linden M, Reinert RR, Kern WV, Imöhl M. **Epidemiology of Serotype 19A isolates from invasive pneumococcal disease in German children.** BMC Infectious Diseases 2013;13:70 (DOI: 10.1186/1471-2334-13-70)

2012

Altmann M, Fiebig L, Buda S, von Kries R, Dehnert M, Haas W. **Unchanged Severity of Influenza A(H1N1)pdm09 Infection in Children during First Postpandemic Season.** Emerg Infect Dis 2012;Nov;18(11):1755-1762.

Cardwell CR, Stene LC, Ludvigsson J, Rosenbauer J, Cinek O et al. **Breast feeding and childhood onset type 1 diabetes: a pooled analysis of individual participant data from 43 observational studies.** Diabetes Care 2012; 35: 2215-2225.

Lainka E, Bielak M, Lohse P, Timmann C, Stojanov S, von Kries R, Niehues T, Neudorf U. **Familial Mediterranean Fever (FMF) in Germany: Epidemiological, clinical and genetic characteristics of a pediatric population.** Eur J Pediatr 2012; 171(12):1775-1785.

Lainka E, Neudorf U, Lohse P, Timmann C, Bielak M, Stojanov S, Huss K, von Kries R, Niehues T. **Incidence and clinical features of hyperimmunoglobulinemia D and periodic fever syndrome (HIDS) and spectrum of mevalonate kinase (MVK) mutations in German children.** Rheumatol Int 2012; 32(10):3253-3260.

Patterson CC, Gyürüs E, Rosenbauer J, Cinek O, Neu A et al. **Childhood type 1 diabetes incidence trends in Europe during 1989-2008: evidence of non-uniformity over time in rates of increase.** Diabetologia 2012; 55:2142-2147.

Stahl A, Straßburger K, Lange K, Bächle C, Holl RW, Giani G, Rosenbauer J. **Health-related quality of life among German Youth with early onset and long duration type 1 diabetes.** Diabetes care 2012; 35:1736-1742.

Tibussek D, Distelmaier F, Kummer S, von Kries R, Mayatepek E. **Sedation of Children during Measurement of CSF Opening Pressure: Lack of Standardisation in German Children with Pseudotumor cerebri.** Klin Padiatr 2012;224:40-42.

van Baalen A, Häusler M, Plecko-Startining B, Strautmanis J, Vlaho S, Gebhardt B, Rohr A, Abicht A, Kluger G, Stephani U, Probst C, Vincent A, Bien CG. **Febrile Infection-Related Epilepsy Syndrome without Detectable Autoantibodies and Response to Immunotherapy: A Case Series and Discussion of Epileptogenesis in FIRES.** Neuropediatrics 2012;43 (04):209-216 (DOI: 10.1055/s-0032-1323848)

van der Linden M, Weiß S, Falkenhorst G, Siedler A, Imöhl M, von Kries R. **Four Years of universal Pneumococcal Conjugate Infant Vaccination in Germany: Impact on Incidence of invasive Pneumococcal Disease and Serotype Distribution in Children.** Vaccine 2012;30 (40):5880-5885.

2011

Altmann M, Fiebig L, Soyka J, von Kries R, Dehnert M, Haas W. **Severe Cases of Pandemic (H1N1) 2009 in Children, Germany.** Emerg Infect Dis 2011;Feb;17(2):186-92 (DOI: 10.3201/eid1702.101090)

Bissantz N, Jenke AC, Trampisch M, Klaassen-Mielke R, Bissantz K, Trampisch HJ, Holland-Letz T. **Hospital-based, prospective multicentre surveillance to determine the incidence of intussusception in children aged below 15 years in Germany.** BMC Gastroenterol 2011 Mar 24;11:26.

Cardwell CR, Stene LC, Joner G, Bulsara MK, Cinek O, Rosenbauer J et al. **Birth order and childhood type 1 diabetes: a pooled analysis of 31 observational studies.** Int J Epidemiol 2011; 40: 363-374.

Dressler F, Frosch M, Mönkemöller K, Thon A, Weißbarth-Riedel E, Horneff G. **Results of the German ESPED-recording of new patients with juvenile dermatomyositis (JDM).** Klin Padiatr 2011; 223:280-282.

Fluegge K, Wons J, Spellenberg B, Swoboda S, Siedler A, Hufnagel M, Berner R. **Genetic Differences between invasive and noninvasive neonatal Group B Streptococcal Isolates.** *Pediatr Infect Dis J* 2011;Dec;30(12):1027-1031.

Jansson AF, Grote V for the ESPED Study Group. **Nonbacterial Osteitis in Children: Data of a German Incidence Surveillance Study.** *Acta Paediatr* 2011;100:1150-1157.

Jenke AC, Klaassen-Mielke R, Zilbauer M, Heininger U, Trampisch H, Wirth S. **Intussusception: incidence and treatment insights from the nationwide German surveillance.** *J Pediatr Gastr Nutr* 2011 Apr;52(4):446-51.

Neuner B, von Mackensen S, Krümpel A, Manner D, Friefeld S, Nixdorf S, Frühwald M, deVeber G, Nowak-Göttl U. **Health-related Quality of Life in Children and Adolescents with Stroke, Self-Reports, and Parent/Proxies Reports: Cross-Sectional Investigation.** *Ann Neurol* 2011;70:70-78 (DOI: 10.1002/ana.22381)

Poets A, Steinfurt R, Poets CF. **Sudden Death and Severe Apparent Life-Threatening Events in Term Infants Within 24 Hours of Birth.** *Pediatrics* 2011;127:e869-873.

Rückinger S, van der Linden M, Siedler A, von Kries R. **Potential Benefits from currently available three Pneumococcal Vaccines for Children Population-based Evaluation.** *Klin Padiatr* 2011;223:61-64.

Streng A, Grote V, Liese JG. **Severe influenza cases in paediatric intensive care units in Germany during the pre-pandemic seasons 2005 to 2008.** *BMC Infect Dis* 2011;11:233.

Weiß S, Streng A, von Kries R, Liese J, Wirth S, Jenke AC. **Incidence of intussusception in early infancy. A capture-recapture estimate for Germany.** *Klin Padiatr* 2011;223(7):419-423 (DOI: 10.3201/eid1702.101090)

2010

Bidlingmaier C, Olivieri M, Stelter K, Eberl W, von Kries R, Kurnik K. **Postoperative bleeding in paediatric ENT surgery - first results of the German ESPED trial.** *Hämostaseologie* 2010;30 [Suppl. 1]:S108-S111.

Cardwell CR, Stene LC, Joner G, Bulsara MK, Cinek O, Rosenbauer J et al. **Maternal age and childhood onset type 1 diabetes: A meta-analysis of observational studies using individual patient data.** *Diabetologia* 2010;59:486-494

Cardwell CR, Stene LC, Joner G, Davis EA, Cinek O, Rosenbauer J et al. **Birth weight and the risk of childhood onset type 1 diabetes: A meta-analysis of observational studies using individual patient data.** *Diabetologia* 2010;53:641-651

Lainka E, Neudorf U, Lohse P, Timmann C, Bielak M, Stojanov S, Huss K, von Kries R, Niehues T. **Analysis of Cryopyrin-Associated Periodic Syndromes (CAPS) in German Children: Epidemiological, Clinical and Genetic Characteristics.** Klin Padiatr 2010;222 (6):356-361 (DOI: 10.1055/s-0030-1265181)

Rack AL, Grote V, Streng A, Belohradsky BH, Heinen F, von Kries R, Liese JG. **Neurologic varicella complications before routine immunization in Germany.** Pediatr Neurol 2010 Jan;42 (1):40-48.

Rosenbauer J, Stahl A. **Häufigkeit des Diabetes mellitus im Kindes- und Jugendalter in Deutschland.** Der Diabetologe 2010; 6: 177-189

Rückinger S, van der Linden M, Reinert RR, von Kries R. **Efficacy of 7-valent pneumococcal conjugate vaccination in Germany: An analysis using the indirect cohort method.** Vaccine 2010;28 (31):5012-5016.

Rückinger S, van der Linden M, von Kries R. **Effect of heptavalent pneumococcal conjugate vaccination on invasive pneumococcal disease in preterm born infants.** BMC Infect Dis 2010;10:12.