

Publikationen 2000

ANGHELESCU I, KLAWE C, BENKERT O (2000) Orlistat in the treatment of psychopharmacologically induced weight gain. *J Clin Psychopharmacol* 20: 716-717

BARTENSTEIN P, GRÜNWALD F, KUWERT T, TATSCH K, SABRI O, BENKERT O, FAHLBUSCH R, GRÜNDER G, HERZHOLZ K, WEILLER C (2000) Clinical applications of single photon emission tomography in neuromedicine. Part 1: Neuro-oncology, epilepsy, movement disorders, cerebrovascular disease. *Nuklearmedizin* 39: 180-195

BARTENSTEIN P, GRÜNWALD F, KUWERT T, TATSCH K, SABRI O, BENKERT O, FAHLBUSCH R, GRÜNDER G, HERZHOLZ K, WEILLER C (2000) Clinical applications of single photon emission tomography in neuromedicine. Part 2: dementia, psychotic disorders, inflammation, trauma. *Nuklearmedizin* 39: 218-232

BENKERT O, HIPPIUS H (2000) Kompendium der Psychiatrischen Pharmakotherapie. Springer, Berlin : 460 Seiten, 2., überarb. Aufl.

BENKERT O, SZEGEDI A, KOHNEN R (2000) Mirtazapine compared with paroxetine in major depression. *J Clin Psychiatry* 61: 656-663

BIERBRAUER J, HEIDENREICH T, HILWERLING L, NESSEN S von, FEY P, KÖGEL P, PFLUG B, DAHMEN N (2000) Narkolepsie: Eine Erkrankung im Aufbruch. *Nervenarzt* 71: 807-812

BURKART M, HEUN R (2000) Psychometric Analysis of the selective reminding procedure in a sample from the general elderly population. *Dementia* 11: 74-80

CONNEMANN BJ, PANKOK J, MANN K, WEIGMANN H; HIEMKE C, BENKERT O (2000) Tic-like movements in a patient taking clozapine and fluvoxamine. *German Journal of Psychiatry* 3: 1

DAHMEN N (2000) Genetik der bipolaren Störung. *Psycho* 26: 478-483

DAHMEN N, PAULY T, SZEGEDI A, WETZTEL H, ANGHELESCU I, FERDINAND K, HIEMKE C (2000) Adenylyl cyclase activity is increased in younger, but decreased in older, alcoholic patients after detoxification. *Alcohol Alcohol* 35: 249-254

DAVIDS E, RÖSCHKE J, KLAWE C, GRÜNDER G, SCHMOLDT A (2000) Tranylcypromine abuse associated with delirium and thrombocytopenia. *J Clin Psychopharmacol* 20: 270-271

DAVIDS E, URBAN PP, MÜLLER-FORELL W, HOPF HC (2000) Zoster oticus (Ramsay-Hunt-Syndrom). *Aktuelle Neurologie* 27: 224-228

FEHR C, GRINTSCHUK N, SZEGEDI A, ANGHELESCU I, KLAWE C, SINGER P, HIEMKE C, DAHMEN N. (2000) The HTR1B 861G>C receptor polymorphism among patients suffering from alcoholism, major depression, anxiety disorders and narcolepsy. *Psychiatry Res* 97: 1-10

FEHR C, GRÜNDER G, HIEMKE C, DAHMEN N (2000) Increase in serum clomipramine concentrations by valproate. *J Clin Psychopharmacol* 20: 493-494

FEHR C, SZEGEDI A, ANGHELESCU I, KLAWE C, HIEMKE C, DAHMEN N (2000) Sex differences in allelic frequencies of the 5-HT2C Cys23Ser polymorphism in psychiatric patients and healthy volunteers: findings from an association study. *Psychiatr Genet* 10: 59-65

FELL J, KAPLAN A, DARKHOVSKY B, RÖSCHKE J (2000) EEG analysis with nonlinear deterministic and stochastic methods: a combined strategy. *Acta Neurobiol Exp* 60: 87-108

FELL J, MANN K, RÖSCHKE J, GOPINATHAN MS (2000) Nonlinear analysis of continuous ECG during sleep I. Reconstruction. *Biol Cybern* 82: 477-483

FELL J, MANN K, RÖSCHKE J, GOPINATHAN MS (2000) Nonlinear analysis of continuous ECG during sleep II. Dynamical measures. *Biol Cybern* 82: 485-491

FELL J, RÖSCHKE J, GRÖZINGER M, HINRICHES H, HEINZE H-J (2000) Alterations of continuous MEG measures during mental activities. *Neuropsychobiology* 42: 99-106

GRÖZINGER M, HÄRTTER S, WANG X, RÖSCHKE J, HIEMKE C (2000) Fluvoxamine strongly inhibits melatonin metabolism in a patient with low-amplitude melatonin profile. *Arch Gen Psychiatry* 57: 812-813

HÄRTTER S (2000) In vitro Methoden zur Untersuchung des Phase-I-Metabolismus. *Pharmazie in unserer Zeit* 29: 365-371

HÄRTTER S, GRÖZINGER M, WEIGMANN H, RÖSCHKE J, HIEMKE C (2000) Increased bioavailability of oral melatonin after fluvoxamine coadministration. *Clin Pharmacol Ther* 67: 1-6

HÄRTTER S, WEIGMANN H, HIEMKE C (2000) Automated determination of reboxetine by high-performance liquid chromatography with column-switching and ultraviolet detection. *J Chromatogr B* 740: 135-140

HEMMETER U, MÜLLER M, BISCHOF R, ANNEN B, HOLSBØR-TRACHSLER E (2000) Effect of zopiclone and temazepam on sleep EEG parameters, psychomotor and memory functions in healthy elderly volunteers. *Psychopharmacology (Berl)* 147: 384-396

HIEMKE C (2000) Metabolismus und Interaktionen neuer Antidepressiva. *Neuro Date* 8: 20-22

HIEMKE C (2000) Pharmakologische Grundlagen in der Antidepressivatherapie. In: MÖLLER H-J (Hrsg) *Therapie psychiatrischer Erkrankungen*. Thieme Stuttgart: S. 335-355

HIEMKE C, HÄRTTER S (2000) Pharmacokinetics of selective serotonin reuptake inhibitors. *Pharmacol Ther* 85: 11-28

Hiemke C, Härtter S, Weigmann H (2000) Therapeutisches Drug Monitoring (TDM). In: GASTPAR M, BANGER M (Hrsg) Laboruntersuchungen in der psychiatrischen Routine. Thieme, Stuttgart. S. 106-133

Hiemke C, Weigmann H, Härtter S (2000) Interaktionen von selektiven Serotoninrückaufnahmehemmern mit Neuroleptika. In: KÖNIG F, KASCHKA WP (Hrsg) Interaktionen und Wirkmechanismen ausgewählter Psychopharmaka. Thieme, Stuttgart. S. 54-72

Hiemke C, Weigmann H, Härtter S, Mann K (2000) Therapeutisches Drug Monitoring von Psychopharmaka. Neurotransmitter 11: 52-55

Lörch B (2000) Psychotherapeutische und pharmakologische Kombinationsbehandlungen bei Panikstörung. Praxis Klinische Verhaltensmedizin und Rehabilitation 49: 36-43

Loerch B, Szegedi A, Kohnen R, Benkert O (2000) The primary care evaluation of mental disorders (PRIME-MD), german version: a comparison with the CIDI. J Psychiatr Res 34: 211-220

Mann K (2000) Erektionen im Schlaf – Physiologie und praktische Bedeutung. Psycho 26: 282-286

Mann K, Röschke J (2000) Basis of sleep EEG and clinical applications. In: SALETU B, KRIJZER F, FERBER G, ANDERER P (eds) Electrophysiological Brain Research in Preclinical and Clinical Pharmacology and Related Fields – An Update. Facultas Universitätsverlag, Wien. pp 61-68 140.

Mann K, Röschke J, Fell J (2000) Nonlinear characteristics of heart rate and continuous electrocardiogram dynamics during human sleep. In: MALIK SK, CHANDRASHEKARAN MK, PRADHAN N (Eds) Nonlinear Phenomena in Biological and Physical Sciences. Indian National Science Academy, New Dehli. pp 263-282

Müller MJ, Benkert O (2000) Der Stellenwert von Amisulprid in der Behandlung von Patienten mit schizophrenen Erkrankungen. Ergebnisse kontrollierter Studien. In: HIPPIUS H (Hrsg) Amisulprid: Antipsychotikum für die Behandlung akuter und chronischer Schizophrenien. Urban & Vogel, München. S. 33-57

Müller MJ, Netter P (2000) Relationship of subjective helplessness and pain perception after electric skin stimuli. Stress Med 16: 109-115

Müller MJ, Rossbach W, Davids E, Wetzel H, Benkert O (2000) Evaluation eines standardisierten Trainings für die „Positive and Negative Syndrome Scale“ (PANSS). Nervenarzt 71: 195-204

Müller MJ, Stemmler M (2000) Bipredictive configural frequency analysis of small sample ANOVA designs. Biologische Beiträge 42: 327-336

Müller MJ, Szegedi A, Wetzel H, Benkert O (2000) Moderate and severe depression gradations for the Montgomery-Asberg depression rating scale. J Affect Disord 60: 137-140

RÖSCHKE J, WOLF CH, MÜLLER MJ, WAGNER P, MANN K, GRÖZINGER M, BECH S (2000) The benefit from whole body acupuncture in major depression. *J Affect Disord* 57: 73-81

RUJESCU D, GIEGLING I, DAHMEN N, SZEGEDI A, ANGHELESCU I, GIETL A, SCHÄFER M, MÜLLER-SIECHENEDER F, BONDY B, MÖLLER H-J (2000) Association study of suicidal behavior and affective disorders with a genetic polymorphism in ABCG1, a positional candidate on chromosome 21q22.3. *Neuropsychobiology* 42 (Suppl. 1): 22-25

SCHEURICH A, MÜLLER MJ, WETZEL H, ANGHELESCU I, KLAWE C, RUPPE A, LÖRCH B, HIMMERICH H, HEIDENREICH M, SCHMID G, HAUTZINGER M, SZEGEDI A (2000) Reliability and validity of the german version of the European Addiction Severity Index (EuropASI) *J Stud Alcohol* 61: 916-919

SCHLÖSSER R (2000) Erfassen von Neurotransmitterinteraktionen mit PET und SPECT durch pharmakologische Challenge-Paradigmen. *Nervenarzt* 71: 9-18 130.

SCHLÖSSER R, WETZEL H, DÖRR H, ROSSBACH W, HIEMKE C, BENKERT O. (2000) Effects of subchronic paroxetine administration on night-time endocrinological profiles in healthy male volunteers. *Psychoneuroendocrinology* 25: 377-388

SCHMITT U, LÜDDENS H, HIEMKE C (2000) Behavioral effects of GABA_A receptor stimulation and GABA-transporter inhibition. *Pharmacol Biochem Behav* 65: 351-356

SZEGEDI A, LÖRCH B, SCHEURICH A, RUPPE A, HAUTZINGER M, WETZEL H (2000) Cue exposure in alcohol dependent patients: preliminary evidence for different types of cue reactivity. *J Neural Transm* 107: 721-730

SZEGEDI A, MÜLLER MJ, HIMMERICH H, ANGHELESCU I, WETZEL H (2000) Carbohydrate-deficient transferrin (CDT) and HDL cholesterol (HDL) are highly correlated in male alcohol dependent patients. *Alcohol Clin Exp Res* 24: 497-500

VAN KAMPEN M, SCHMITT U, HIEMKE C, FUCHS E (2000) Diazepam has no beneficial effects on stress-induced behavioural and endocrine changes in male tree shrews. *Pharmacol Biochem Behav* 65: 539-546

WAGNER P, RÖSCHKE J, MANN K, FELL J, HILLER W, FRANK C, GRÖZINGER M (2000) Human sleep EEG under the influence of pulsed radio frequency electromagnetic fields. *Neuropsychobiology* 42: 207-212

WAGNER P; RÖSCHKE J, GRÖZINGER M, MANN K (2000) A replication study on P300 single trial analysis in schizophrenia: confirmation of a reduced number of "true positive" P300 waves. *J Psychiatr Res* 34: 255-259

WEIGMANN H, HÄRTTER S, BAGLI M, HIEMKE C (2000) Steady state concentrations of clomipramine and its major metabolite desmethylclomipramine in rat brain and serum after oral administration of clomipramine. *Eur Neuropsychopharmacol* 10: 401-405

