

## Publikationen 1998

- ANGHELESCU I, SZEGEDI A, SCHLEGEL S, WEIGMANN H, HIEMKE C Wetzel H (1998) Combination treatment with clozapine and paroxetine in schizophrenia: safety and tolerability data from a prospective open clinical trial. Eur Neuropsychopharmacol 8: 315-320**
- BARTLETT EJ, BRODIE JD, SIMKOWITZ P, SCHLÖSSER R, DEWEY SL, LINDENMAYER J-P, RUSINEK H, WOLKIN A, CANCRO R, SCHIFFER W (1998) Effect of a haloperidol challenge on regional brain metabolism in neuroleptic-responsive and nonresponsive schizophrenic patients. Am J Psychiatry 155: 337-343**
- BENKERT O, BURKART M, WETZEL H (1998) Existing therapies with newer antidepressants - their strengths and weaknesses. In: BRILEY M, MONTGOMERY S (eds) Antidepressant Therapy at the Dawn of the Third Millennium. Dunitz, London. pp 213-230**
- BENKERT O, GRAF-MORGENSTERN M, HILLERT A, SANDMANN J, EHMIG SC, WEISSBECKER H, KEPPLINGER HM, SOBOTA K (1998) Die Einstellung der Bevölkerung zu Psychopharmaka: Eine Analyse von Faktoren, die Akzeptanz oder die Ablehnung beeinflussen. In: GAEBEL W, FALKAI P (Hrsg) Zwischen Spezialisierung und Integration – Perspektiven der Psychiatrie und Psychotherapie. Springer, Wien. S. 295-308**
- BENKERT O, HIPPIUS H (1998) Kompendium der Psychiatrischen Pharmakotherapie. Springer, Berlin. 385 Seiten**
- BURKART M, HEUN R, BENKERT O (1998) Serial position effects in dementia of the Alzheimer type. Dement Geriatr Cogn Disord 9: 130-136**
- BURKART M, HEUN R, MAIER W, BENKERT O (1998) Demenzscreening im klinischen Alltag. Nervenarzt: 69: 983-990**
- DAVIDS E, GRÜNDER G, WETZEL H, BENKERT O (1998) Psychopharmakotherapie in Schwangerschaft und Stillzeit. Fortschr Neurol Psychiatr 66: 207-224**
- FISCHER V, SCHMITT U, WEIGMANN H, KELLER v B, REUSS S, HIEMKE C, DAHMEN N (1998) Chronical haloperidol and clozapine treatment in rats: differential RNA display analysis, behavioral studies and serum level determination. Prog Neuropsychopharmacol Biol Psychiatry 22: 1129-1139**
- GRÖZINGER M, HÄRTTER S, HIEMKE C, GRIESE E-U, RÖSCHKE J (1998) Interaction of modafinil and clomipramine as comedication in a narcoleptic patient. Clin Neuropharmacol 21: 127-129**
- GRÖZINGER M, KÖGEL P, RÖSCHKE J (1998) Effects of lorazepam on the automatic online evaluation of sleep EEG data in healthy volunteers. Pharmacopsychiatry 31: 55-59**

- HÄRTTER S, DINGEMANSE J, BAIER D, ZIEGLER G, HIEMKE C** (1998) Inhibition of dextromethorphan metabolism by moclobemide. *Psychopharmacology (Berl)* 135: 22-26
- HÄRTTER S, JENSEN B, HIEMKE C, LEAL M, WEIGMANN H, UNGER K** (1998) Micellar electrokinetic capillary chromatography for therapeutic drug monitoring of carbamazepine and its main metabolites. *J Chromatogr B Biomed Appl* 712: 253-258
- HÄRTTER S, WETZEL H, HAMMES E, TORKZADEH M, HIEMKE C** (1998) Serum concentrations of fluvoxamine and clinical effects. *Pharmacopsychiatry* 31: 199-200
- HÄRTTER S, WETZEL H, HAMMES E, TORKZADEH M, HIEMKE C** (1998) Nonlinear pharmacokinetics of fluvoxamine and gender differences. *Ther Drug Monit* 20: 446-449
- HEUN R, BURKART M, WOLF C, BENKERT O** (1998) Effect of presentation rate on word list learning in patients with dementia of the Alzheimer type. *Dement Geriatr Cogn Disord* 9: 214-218
- HEVERS W, LÜDDENS H** (1998) The diversity of GABA<sub>A</sub> receptors: pharmacological and electrophysiological properties of GABA<sub>A</sub> channel subtypes. *Mol Neurobiol* 18: 35-86
- HIEMKE C** (1998) Interaktionen und Metabolismus neuerer Antidepressiva. In: HELMCHEN H, MÖLLER H-J (Hrsg) *Psychiatrie für die Praxis* 27. MMV Medien- und Medizin-Verlag, München. S. 102-107
- JACKEL C, KLEINZ R, MÄKELÄ R, HEVERS W, JEZEQUEL S, KORPI ER, LÜDDENS H** (1998) The main determinant of furosemide inhibition on GABA<sub>A</sub> receptors is located close to the first transmembrane domain. *Eur J Pharmacol* 357: 251-256
- LÖRCH B, SCHLEGEL S, HAUTZINGER M, WETZEL H** (1998) **Neuere verhaltenstherapeutische Behandlungsansätze bei Alkoholabhängigen.** In: **HARTWICH P, HAAS S, MAURER K, PFLUG B** (Hrsg) **Alkohol- und Drogenabhängigkeit: Konzepte und Therapie.** Verlag Wissenschaft und Praxis, Sternenfels. S. 43-53
- LÜDDENS H, LANG H-J, KORPI ER** (1998) Structure-activity relationship of furosemide-derived compounds as antagonists of cerebellum-specific GABA<sub>A</sub> receptors. *Eur J Pharmacol* 344: 269-277
- MANN K** (1998) Zielorientierte psychiatrische Beurteilung des impotenten Mannes. In: SOHN M, OCKLENBURG F-J (Hrsg) *Impotenz in der Paarbeziehung.* Pharmacia & Upjohn, Erlangen. S. 111-120
- MANN K, RÖSCHKE J, CONNEMANN B, BETA H** (1998) No effects of pulsed high-frequency electromagnetic fields on heart rate variability during human sleep. *Neuropsychobiology* 38: 251-256
- MANN K, WAGNER P, BRUNN G, HASSAN F, HIEMKE C, RÖSCHKE J** (1998) Effects of pulsed high-frequency electromagnetic fields on the neuroendocrine system. *Neuroendocrinology* 67: 139-144

- MÜLLER MJ** (1998) Bedeutung und Prävalenz subjektiver Unkontrollierbarkeit und Hilflosigkeit bei gesunden männlichen Probanden. *Psychologische Beiträge*, Bd.40, S.328-339
- MÜLLER MJ, HILLERT A, MÜLLER-SIECHENEDER F, PHILIPP M, SZEGEDI A, WETZEL H, BENKERT O** (1998) Behandlungsrationale und Therapieevaluation bei Patienten mit kombiniert depressiv-psychotischer Symptomatik. In: FLEISCHHACKER WW, HINTERHUBER H, MEISE U (Hrsg) *Schizophrene Störungen – State of the Art II*. Verlag Integrative Psychiatrie, Innsbruck. S. 252-296
- MÜLLER MJ, ROSSBACH W, DANNIGKEIT P, MÜLLER-SIECHENEDER F, SZEGEDI A, WETZEL H** (1998) Evaluation of standardized rater training for the positive and negative syndrome scale (PANSS). *Schizophr Res* 32: 151-160
- MÜLLER MJ, WETZEL H** (1998) Improvement of inter-rater reliability of PANSS items and subscales by a standardized rater training. *Acta Psychiatr Scand* 98: 135-139
- MÜLLER MJ, WETZEL H** (1998) Dimensionality of depression in acute schizophrenia: a methodological study using the Bech-Rafaelsen Melancholia Scale (BRMES). *J Psychiatr Res* 32: 369-378
- MÜLLER-SIECHENEDER F, MÜLLER MJ, HILLERT A, SZEGEDI A, WETZEL H, BENKERT O** (1998) Risperidone versus haloperidol and amitriptyline in the treatment of patients with a combined psychotic and depressive syndrome. *J Clin Psychopharmacol* 18: 111-120
- RÖSCHKE J, MANN K** (1998) *Schlaf und Schlafstörungen*. Beck, München. 111 Seiten.
- RÖSCHKE J, WAGNER P, MANN K, PRENTICE-CUNTZ T, FRANK C** (1998) An analysis of the brain's transfer properties in schizophrenia: amplitude frequency characteristics and evoked potentials during sleep. *Biol Psychiatry* 43: 503-510
- RÖSCHKE J, WOLF C, KÖGEL P, WAGNER P, BECH S** (1998) Adjuvante Ganzkörperakupunktur bei Depression. *Nervenarzt*: 69: 961-967
- SANDMANN J, LÖRCH B, BANDELOW B, HÄRTTER S, WINTER P, HIEMKE C, BENKERT O** (1998) Fluvoxamine or placebo in the treatment of panic disorder and relationship to blood concentrations of fluvoxamine. *Pharmacopsychiatry* 31: 117-121
- SCHLÖSSER R, BRODIE JD, DEWEY SL, ALEXOFF D, WANG GJ, FOWLER JS, VOLKOW N, LOGAN J, WOLF AP** (1998) Long-term stability of neurotransmitter activity investigated with <sup>11</sup>C-raclopride PET. *Synapse* 28: 66-70
- SCHLÖSSER R, HUTCHINSON M, JOSEFFER S, RUSINEK H, SAARIMAKI A, STEVENSON J, DEWEY SL, BRODIE JD** (1998) Funktional magnetic resonance imaging of human brain activity in a verbal fluency task. *J Neurol Neurosurg Psychiatry* 64: 492-498
- SCHLÖSSER R, RÖSCHKE J, ROSSBACH W, BENKERT O** (1998) Conventional and spectral power analysis of all-night sleep EEG after subchronic treatment with paroxetine in healthy male volunteers. *Eur Neuropsychopharmacol* 8: 273-278

- SCHMITT U, HIEMKE C** (1998) Strain differences in open-field and elevated plus-maze behavior of rats without and with pretest handling. *Pharmacol Biochem Behav* 59: 807-811
- SCHMITT U, HIEMKE C** (1998) Combination of open field and elevated plus-maze: a suitable test battery to assess strain as well as treatment differences in rat behavior. *Prog Neuropsychopharmacol Biol Psychiatry* 22: 1197-1215
- SMITH GS, **SCHLOESSER R**, BRODIE JD, DEWEY SL, LOGAN J, VITKUN SA, SIMKOWITZ P, HURLEY A, COOPER T, VOLKOW ND, CANCRO R (1998) Glutamate modulation of dopamine measured in vivo with positron emission tomography (PET) and <sup>11</sup>C-raclopride in normal human subjects. *Neuropsychopharmacology* 18: 18-25
- STIEGLITZ R-D, WOLFERSDORF M, METZGER R, **RUPPE A**, STABENOW S, HORNSTEIN CH, KELLER F, SCHELL G, BERGER M (1998) Stationäre Behandlung depressiver Patienten. *Nervenarzt* 69: 59-65
- STRAUBE ER, EYE von A, **MÜLLER MJ** (1998) The symmetry of symptom patterns in pre-post treatment designs. *Pharmacopsychiatry* 31: 83-88
- SZEGEDI A, ANGHELESCU I, PAULY T, DAHMEN N, MÜLLER MJ, WETZEL H, HIEMKE C** (1998) Activity of the adenylyl cyclase in lymphocytes of male alcoholic patients is state dependent. *Alcohol Clin Exp Res* 22: 2073-2079
- WAGNER P, RÖSCHKE J, MANN K, HILLER W, FRANK C** (1998) Human sleep under the influence of pulsed radiofrequency electromagnetic fields: a polysomnographic study using standardized conditions. *Bioelectromagnetics* 19: 199-202
- WEIGMANN H, HÄRTTER S, HIEMKE C** (1998) Automated determination of clomipramine and its major metabolites in human and rat serum by high-performance liquid chromatography with on-line column-switching. *J Chromatogr B* 710: 227-233
- WETZEL H, ANGHELESCU I, SZEGEDI A, WIESNER J, WEIGMANN H, HÄRTTER S, HIEMKE C** (1998) Pharmacokinetic interactions of clozapine with selective serotonin reuptake inhibitors: differential effects of fluvoxamine and paroxetine in a prospective study. *J Clin Psychopharmacol* 18: 2-9
- WETZEL H, GRÜNDER G, HILLERT A, PHILIPP M, GATTAZ WF, SAUER H, ADLER G, SCHRÖDER J, REIN W, BENKERT O, THE AMISULPRIDE STUDY GROUP** (1998) Amisulpride versus flupentixol in schizophrenia with predominantly positive symptomatology - a double-blind controlled study comparing a selective D<sub>2</sub>-like antagonist to a mixed D<sub>1</sub>-/D<sub>2</sub>-like antagonist. *Psychopharmacology (Berl)* 137: 223-232
- WOLFERSDORF M, STIEGLITZ R-D, METZGER R, RUPPE A, STABENOW S, HORNSTEIN CH, KELLER F, SCHELL G, BERGER M** (1998) Qualitätssicherung in der Psychiatrie am Beispiel der stationären Depressionsbehandlung. In: GIERNALCZYK T, FREYTAG R (Hrsg) Qualitätsmanagement von Krisenintervention und Suizidprävention. Vandenhoeck & Ruprecht, Göttingen. S. 134-154

WONG DF, RICAURTE G, **GRÜNDER G**, ROTHMAN R, NAIDU S, SINGER H, HARRIS J, YOKOI F, VILLEMAGNE V, SZYMANSKI S, GJEDDE A, KUCHAR M (1998) Dopamine transporter changes in neuropsychiatric disorders. *Adv Pharmacol* 42: 219-223